Wasatch Front Ozone: A "179B" Demonstration of International Emissions Influence Reduces Requirements for Additional Costly and Ineffective Controls

- EPA designated the Wasatch Front as Marginal nonattainment for the 2015 ozone air quality standard.
- An EPA study indicates more than 50% of local ozone originates from international and natural emission sources (Figure 1).
- Utah man-made emissions make < 20% of local ozone; Utah can only control <50% of this amount.
- Despite reductions in ozone precursor emissions nitrogen oxides (NOx) and volatile organic compounds (VOC) – ozone remains above the standard (Figure 2).
- Preliminary model results show that "but for" international emissions, the Wasatch Front would meet the ozone standard (Figures 3,4).

Table 1. Comparison of Nonattainment Options

to Moderate. Provide resources as needed.

and engines.


Option (Option 2 Submit 179B Demonstration "Bump-Up" to Moderate and Submit 179B No Later Than August 2021 Demonstration After Bump-Up ("Retrospective") ("Prospective") · Conduct additional modeling to Prepare a State Implementation Plan (SIP). show international emissions · Demonstrate VOC emissions reductions influence. of 15% · Describe supporting evidence. · Prepare RACT analysis for VOC and NOx. · Show inability to develop attainment demonstration. · Conduct additional modeling to show international emissions influence. · Describe supporting evidence. · Longer period of regulatory uncertainty. · DAQ may need additional resources. · Higher nonattainment classification · Model requires input from EPA discourages growth. · UDAQ Air Board reviews RACT determination. and/or more resources. · EPA has some approval · EPA has approval discretion. • More controls could be needed for 15% VOC discretion. • 179B due to EPA no later than and RACT. August 2021. · Requires higher air permit offset ratio. 179B due to EPA no later than August 2024. · Establishes certainty by 1Q2022. · Allows more time to develop 179B. · Provides time to realize Tier 3 fuels and engines benefit. · State can tailor air quality enhancements appropriately. · Establishes most favorable position for economic growth. Encourage DAQ to develop a 179B demonstration now and avoid bump-up


• If done prior to bump-up, the 179B demonstration eliminates any requirement

and flexibility to improve air quality through state-tailored solutions.

for additional ineffective costly controls dictated by EPA, providing DAQ the time

Developing the 179B now allows time to fully realize the benefits of Tier 3 fuels








Figure 2. Trends: Wasatch Front Ozone with VOC + NOx Emissions; Emissions Down 37% without Ozone Improvement




Figure 3. Current Monitored Ozone
and Modeled Ozone without
International Man-Made Contributions




Figure 4. Modeled Summer-Average Ozone Contributuons at Bountiful Viewmont Monitor Site

Wasatch Front Ozone: A "179B" Demonstration of International Emissions Influence Reduces Requirements for Additional Costly and Ineffective Controls

EPA designated the Wasatch Front as Marginal nonattainment for the 2015 ozone air quality standard.1 Ozone is formed in the ambient air from the reaction of nitrogen oxide (NOx) and volatile organic compound (VOC) emissions. The federal Clean Air Act prescribes requirements for States to address nonattainment areas.

The State has little opportunity to reduce local ozone due to the amount produced in other states, internationally, from natural sources, and from federally regulated motor vehicles. An EPA study shows less than 20% of the ozone in the Wasatch Front results from in-state anthropogenic (man-made) sources (Figure 1).2 The small fraction of locally generated VOC and NOx emissions include 65% from mobile sources3 over which the state has no control, 30% from difficult-to-control area sources,4 and only 15% from electric generating and industry sources.5 A significant amount of Wasatch Front ozone is transported in from international sources. Considering extensive controls already implemented for PM_{2.5} (fine particulate matter less than 2.5 microns in size) and its precursors including VOC and NOx (ozone precursors) additional controls will be costly and will not reduce ozone.

Despite large decreases in Wasatch Front emissions and the success in improving ambient PM_{ass} ambient ozone has not improved in over 15 years (Figure 2).6




Figure 1. EPA Ozone Source Apportionment in Wasatch Front: < 20% Controllable in Utah




Figure 2. Trends: Wasatch Front Ozone with VÕC + NOx Emissions; Emissions Down 37% without Ozone Improvement

Figure 3. Timeline for Ozone Attainment Demonstration

20242025 Z(t)Z(t)* Feb: EPA bumps · Feb: EPA bumps · Develop model · Certify air data Continue Continue · Aug: Area fails to attain area to Moderate implement implement controls area to Serious Finish model Finish control strategy controls Certify air data Begin developing new Evaluate control · Aug: Area fails to attain Implement controls control strategy strategies · Update model · Implement more controls

The Wasatch Front must attain the ozone standard based on three calendar years of ambient air quality monitoring data, 2018 through 2020. If it fails to attain, EPA will "bump it up" to Moderate nonattainment in 2022 unless Utah requests and receives relief under established provisions of the Clean Air Act (discussed below). The Clean Air Act requires Moderate nonattainment areas to reduce VOC emissions by 15% compared to the 2017 baseline level, implement Reasonably Available Control Technology (RACT), and additional controls as needed to demonstrate achieving attainment (Figure 3). Emission reductions from controls for PM_{a.s.} implemented before January 1, 2018 will not count toward the required 15% reduction. Thus, unless granted an exemption, the Wasatch Front will almost certainly be bumped up to

Moderate status and could be required to install costly controls that will be ineffective in reducing ozone levels. Furthermore, if it fails to attain at Moderate based on 2021 to 2023 data, it will bump to Serious and must potentially implement even more ineffective controls. Considering the emission controls already installed, very little more can be done to affect emissions in 2021 to 2023 other than motor vehicle fleet turnover, which may yield smaller reductions than in prior years because EPA recently relaxed motor vehicle fuel economy emission standards.7,8

Figure 4. Timeline for 179B International Emissions Demonstration at Marginal 12.172 · Develop model · Certify air data Feb: EPA approves demonstration Develop evidence Finish model Aug: Finish/submit Wasatch Front remains at Marginal demonstration

2072

- · Develop model
- Certify air data
- Finish model
- · Feb: EPA bumps
- area to Moderate Evaluate 15% VOC. RACT, and ability to attain
- · Continue evaluation · Develop evidence
- Certify air data
 - Update model Submit SIP to EPA
- EPA approves SIP and 179B

The Clean Air Act provides a common-sense opportunity for an area impacted by international ozone to avoid imposing costly controls that will provide little benefit. The State could develop a "179B" demonstration shoing that the Wasatch Front would attain the standard "but for" the local impact of international emissions. If submitted at the Marginal nonattainment level and EPA approves the demonstration, the area would remain at Marginal and would not be required to install costly but ineffective controls (Figure 4). EPA calls this a "retrospective demonstration". This option allows seeing the full benefits of Tier 3 fuels and engines before considering more controls.

Alternatively, the State could allow EPA to bump-up the area to Moderate nonattainment and then develop the 179B demonstration. If submitted at the Moderate level and EPA approves the demonstration, the area would remain at Moderate. EPA calls this a "prospective demonstration". The State would need to evaluate current controls compared to other Clean Air Act requirements, which could lead to additional required costly but ineffective emission controls, i.e. a 15% reduction in VOC emissions from January 1, 2018 forward and RACT. While controls already established for the PM_{25} State Implementation Plan (SIP) may address these requirements fully or partly, a requirement to install new controls remains uncertain in part because both the Utah Air Board and EPA have approval discretion (Figure 5).

In a preliminary analysis to assess the contribution of global international ozone transport to the Wasatch Front, two state-of-the-science photochemical models were applied using consistent meteorology and emissions inputs.9 One model directly simulated the effect of removing contributions from international transport and assessed the resulting ozone impact. The other model tracked the separate emission contributions to total ozone from Utah, the rest of the US. and international sources. EPA's draft 179B guidance describes both approaches¹⁰ which also follow EPA's standardized methods used in SIP to demonstrate future attainment of air quality standards.11

Following EPA's SIP recommendations, modeled contributions from international sources were used to scale the area's current ozone "design value" to project what they would be in the hypothetical absence of international transport. As additional weight of evidence, absolute modeled international contributions were compared to the ozone reduction needed to attain the standard at the limiting monitoring site.

Results from both models projected design values in the absence of international contributions well less than the ozone standard at all monitoring sites and exceed the necessary reduction by 2 to 7 ppb (2-10% of the 70 ppb




Figure 6. Current Monitored Ozone and Modeled Ozone without International Man-Made Contributions




Figure 7. Modeled Summer-Average Ozone Contributuons at Bountiful Viewmont Monitor Site

standard) at the highest, limiting monitoring site (Figure 6). According to the second approach (absolute reductions needed to attain), summeraverage international contributions at the highest design value site (78 ppb at Bountiful Viewmont) ranged from 6.7 to 9.9 ppb among the two models, compared to a 7.1 ppb reduction needed to attain the standard. Figure 7 shows summeraveraged source apportionment results for Bountiful Viewmont ambient air monitoring site. Therefore, the two models bracket the needed absolute design value reduction, consistent with results recently reported by EPA in 2019.13

¹ The Northern Wasatch Front ozone nonattainment area includes Salt Lake and Davis Counties and portions of Tooele and Weber Counties. The Southern Wasatch Front ozone nonattainment area includes

part of Utah County.

2 Implementation of the 2015 Primary Ozone NAAQS: Issues Associated with Background Ozone, White Paper for Discussion", December 30, 2015, EPA website at

https://www.epa.gov/ground-level-zone-polition/hackground-ozone-with bloodsground-devel-zone-yolition-hackground-ozone-with bloodsground-devel-zone-polition-hackground-ozone-with bloodsground-devel-zone-polition-hackground-ozone-polition-hackgroun

⁵ based on Utan Division of Air Quality published emission inventories for the counties represented in the wasaich Front ozone nonattainment areas, 2017 data, tocated at https://deq.utah.gov/air-quality/states/ude-unitasions-inventories.
6 PM₂₅ precursors include NOx, VOC, sulfur dioxide (SO2), and ammonia. Thus, PM₂₅ controls addressed emissions from all four precursors plus PM₂₅ emitted directly such as from wood and coal burning and some industrial sources.
7 "The Safer Affordable Fuel-Efficient (SAFE) Vehicles Rule for Model Years 2021-2026 Passenger Cars and Light Trucks", Federal Register, Volume 85, Number 84, April 30, 2020, p. 24174.
8 Future emission reductions due to motor vehicle fleet turnover will be smaller than in the past. The EPA model to estimate vehicle emissions relies on 2014 motor vehicle standards and has not been updated to reflect current Administration rollbacks of vehicle emission standards.
9 Modeling employed EPA's 2016 national modeling platform developed for the Community Multiscale Air Quality (CMAQ) model and the Comprehensive Air Quality Model with extensions (CAMx). https://www.epa-updaire.purpless.prise.pri

⁹ Mobeling employed EZPAS 2016 Internal modeling plantom developed for the Community Middle M